

COOLING SYSTEMS

NOGACOOOL COOLING SYSTEM

Nogacool consists of a manifold & Loc-Line® flexible hose with a nozzle on top and a valve at the bottom, assembled on the powerful ON/OFF POPEYE magnet. The plug attached can be replaced by a second Loc-Line® hose. Nogacool is supplied with a set of three nozzles: 1/16", 1/8", 1/4".

Working conditions are as follows:

Pressure: 2-3.4 Bar (30-50 Psi)

Flow rate: 940 l/hour

Max. working Temp: 170°C



NOGACOOOL SYSTEM

ITEM NO.	LIST PRICE
NOMC1601	



NOGACOOOL 324MM FLEXIBLE LOC-LINE® HOSE

PRODUCT	ITEM NO.	LIST PRICE
324mm flexible Loc-Line® hose	NOMC0320	

COOLING SYSTEMS

MINICOOL COOLING SYSTEMS

Noga Minicool is using the Venturi principle to spray an air + liquid mixture. It consists of the following basic elements:
 A control valve, spray unit, air line, syphon line and a powerful on/off Popeye magnet, which has the "V" form base, making it possible to mount on non-flat surfaces. The Minicool enables the user to easily control both the air flow rate and liquid rate.

- Strong magnetic base
- Separate on/off air and fluid controls
- Stainless steel armoured syphon hose and air hose
- Nozzle connected via Loc-Line® flexible hose

MINICOOL ONE SPRAY UNIT



PRODUCT	ITEM NO.	LIST PRICE
Minicool One Spray Unit	NOMC1700	

MINICOOL TWO SPRAY UNITS



PRODUCT	ITEM NO.	LIST PRICE
Minicool Two Spray Units	NOMC3000	

MINICOOL SPRAY UNIT 270MM



PRODUCT	ITEM NO.	LIST PRICE
Spray Unit 270mm	NOMC0101	

AIR LINE 2M



PRODUCT	ITEM NO.	LIST PRICE
Air Line 2m	NOMC0302	

BANJO SCREW + WASHER



PRODUCT	ITEM NO.	LIST PRICE
Banjo Screw + washer	NOMC0232	

COUNTERSINKS AND DEBURRING TOOLS

DEBURRING TOOLS



EDGE OFF

- Disposable tool
- Handy pocket clip

Includes: S10 blade mounted in an 8mm hexagonal aluminium handle

ITEM NO.	N0E01000
LIST PRICE	



NOGA BURR 3

Will do almost all of your deburring jobs.

Includes: NG-1 Handle, S10, S20 & S35 blades

ITEM NO.	NONG1003
LIST PRICE	



NOGA BURR 5

Will do almost all of your deburring jobs. Suitable for coarse to extra fine deburring operations.

Includes: NG-1 Handle, S10, S20, S35, S101 & S202 blades

ITEM NO.	NONG1005
LIST PRICE	



RAPID BURR

- Steel housing for long life of handle.
- Blade is replaceable.
- Holds 3.2mm blades.

Includes: 12mm hexagonal aluminium painted handle and S10 Blade

ITEM NO.	NORB1000
LIST PRICE	



TEDDY BURR

- Design for hard to reach locations
- Blade is replaceable
- Steel housing for long life of handle

Includes: 8mm painted hexagonal aluminum handle and N1 blade

ITEM NO.	NOTB1000
LIST PRICE	

COUNTERSINKS AND DEBURRING TOOLS

COUNTERSINK TOOLS



EXTERNAL ROTODRIVE

- Chamfers the O.D. on bars and tubes
- Quickest way to chamfer O.D. on almost all materials

Range: 4-18mm

Includes: NG-1 handle and external RotoDrive EX18 countersink

ITEM NO.	NONG1700
LIST PRICE	



COUNTERSINK 20MM

Standard tool for countersinking. Useful for chamfering deep holes.

Includes: NG-3 Handle, C Holder and C20 countersink (20mm)

ITEM NO.	NONG3100
LIST PRICE	



MINI REVERSIBLE COUNTERSINK

Very fine tool for deburring both back and front sides of holes.

Range: 3-5.5mm

Includes: Steel handle and R1 blade

TO REPLACE THE BLADE:

Pull the aluminum knob out of the handle. At its end there is an hexagonal key. Use this key to replace the blade.

ITEM NO.	NORC1000
LIST PRICE	



MEDIUM REVERSIBLE COUNTERSINK

For deburring both back and front sides of holes

Range: 5-10mm

Includes: Steel handle and R2 blade

TO REPLACE THE BLADE:

Pull the aluminum knob out of the handle. At its end there is an hexagonal key. Use this key to replace the blade.

ITEM NO.	NORC2000
LIST PRICE	



LARGE REVERSIBLE COUNTERSINK

For deburring both back and front sides of holes

Range: 10-22mm

Includes: Steel handle and R3 blade

TO REPLACE THE BLADE:

Pull the aluminum knob out of the handle. At its end there is an hexagonal key. Use this key to replace the blade.

ITEM NO.	NORC2200
LIST PRICE	

COUNTERSINKS AND DEBURRING TOOLS

SCRAPERS



MINI SCRAPER

Ideal for tool and die makers.

Includes: NG-3 handle, D holder, D50 triangular mini scraper blade and hex key

ITEM NO.	NONG3700
LIST PRICE	



INTERNAL SCRAPER

Ideal for cross-holes deburring.

Includes: NG-3 handle, D holder, and D66 Internal scraper blade

ITEM NO.	NONG3710
LIST PRICE	



SCRAPER

Double end scraper for longer tool life. Can be locked in required position.

Includes: Uni-handle and double ended T120 triangular scraper

ITEM NO.	NOSC1000
LIST PRICE	



ADJUSTABLE SCRAPER

Ideal for scraping, trimming and deburring almost all materials.

Includes: 12mm anodized handle and T80 double ended triangular scraper blade

ITEM NO.	NOSC8000
LIST PRICE	

DOUBLE EDGE CUTTING TOOLS



DOUBLE BURR (DEBURRING TOOL)

Simultaneously removes burrs from both sides of sheet metal.

Includes: DB Handle, Hand Guard and two N80 blades

- DB Handle with safety guard to protect your hand
- Unique round cutting blades can be rotated and reversed for long life

Range: 0-12mm

Hint: For corners, use one blade only

ITEM NO.	NODB1000
LIST PRICE	



O-RING BURR

Removes burrs from internal O-ring grooves.

Range: 0-3mm (groove width)

Includes: NG-1 handle and O-ring blade

ITEM NO.	NONG1100
LIST PRICE	



KEYWAY BURR

Effectively removes burrs from internal and external keyways.

Range: 2.4-11mm

Includes: NG-3 handle, K holder and N80K blade

ITEM NO.	NONG3300
LIST PRICE	

COUNTERSINKS AND DEBURRING TOOLS

SPECIALTY TOOLS



SOFT GRIP

Ergonomically held handle. Two holes accepts both S and N blades.

Includes: SG handle, S100 and N10 cobalt blades

ITEM NO.	NOSG1000
LIST PRICE	



PLASTIC EDGE OFF

- Most competitive tool
- Holds all S blades (3.2mm)
- The blade is replaceable

Includes: Plastic handle and S10 blade

ITEM NO.	NOE02000
LIST PRICE	



LIZA BURR

- Double end blade holder to utilize both N blades and S blades (3.2mm diameter for heavy duty applications)
- Telescopes from 20-110 mm with N Blades
- Telescopes from 20-94 mm with S Blades

Includes: Uni-handle, SN-holder, N1 & N2 blades

ITEM NO.	NOLB1000
LIST PRICE	



LEADER BURR

Chamfering straight or curved edges. Ensures 45° chamfering.

Includes: NG-3 handle, LD holder and L1 blade

ITEM NO.	NONG3800
LIST PRICE	

COUNTERSINKS AND DEBURRING TOOLS

SETS & KITS



PLASTIC EDGE OFF BURR SET

The most economical set.

Set contains: EO handle + S10 Blade, Green Sleeve (for Aluminum). EO handle + S20 Blade, Red Sleeve (for Brass & Cast Iron). EO handle + S100 Blade, Blue Sleeve (for Steel). EO handle + S150 Blade, Yellow Sleeve (for Plastic). Pack dimensions: 222 x 78 x 22mm

ITEM NO.	N0E02100
LIST PRICE	



S PROMO SET

Deburs: Steel, aluminium and plastic

Includes: NG-1 handle, S10 blades - 10 pieces

ITEM NO.	NONG8150
LIST PRICE	



S TELE SET

Deburs: Steel, aluminium, plastic, brass and cast iron

Includes: NG-3 handle, S Holder, S10 blades (x5), S20 blades (x5)

ITEM NO.	NONG8350
LIST PRICE	



MINI SET

Universal set.

Pack dimensions: 150 x 30 x 30mm

Includes: NG-3 Handle, N1 Blade, N2 Blade, S Holder, S30 Blade, S150 Blade, S20 Blade, N Holder, S10 Blade

ITEM NO.	NONG9100
LIST PRICE	



GOLD BOX DEBURRING KIT

The most complete box for professional machinists.

Contents: NG-3 Handle, Adjustable Scraper, Plastic Edge Off Handle, S Holder, N Holder, C Holder + C20 Countersink, D Holder + D50 Blade, K Holder + N80K Blade, Blades: N1, N2, S10, S20, S30, S150, D66, 10.4 Countersink RotoDrive and Hex Key 1.5mm

Pack dimensions: 270 x 230 x 50mm

ITEM NO.	NONG9400
LIST PRICE	

COUNTERSINKS AND DEBURRING TOOLS

SETS & KITS CONTINUED



4-IN-1 MULTI BURR

FOUR of our most popular blades in ONE innovative tool set

The handy universal deburring set with multi-purpose blades will help you produce a perfect finish for a wide variety of jobs.

This innovative tool set has 4 folding shafts which can be easily locked into position for the duration of the work and then folded neatly back into the handle allowing the tool to be carried simply anywhere.

Works best on steel, aluminum and plastic.

Unique Features:

- A single spring lock will release and close all the tools.
- Each tool has a separate lever which enables the opening of the unit.

Includes: S10 blade, D50 scraper blade, N2 blade, Rotodrive Countersink blade (range 1-10.4mm)

ITEM NO.	NORG1000
LIST PRICE	



TRIO SET

The Noga Trio is a standard deburring set.

Set contents:

- RB Handle + S20 Blade, red sleeve (for brass & cast iron).
- RB Handle + S100 Blade, blue sleeve (for steel & aluminium).
- RB Handle + S150 extra fine Blade, yellow sleeve (for plastic).

Pack dimensions: 175 x 50 x 20 mm.

ITEM NO.	NORB3000
LIST PRICE	



007 SET

For deburring, cleaning, finishing and countersinking.

Includes: RB Handle, O-ring blade, RD16.5 RotoDrive Countersink, EX18 External RotoDrive Countersink, Thread cleaner blade, S100 Cobalt blade & S150 blade

ITEM NO.	NOSP1007
LIST PRICE	



BRONZE UNI KIT

Most economical deburring kit for all machinists

Includes: NG-3 handle, N holder, S holder, C holder + C20, D holder + D50, Blades: N1, N2, S10, S20, S30 and S150

Pack dimensions: 215 x 120 x 40mm

ITEM NO.	NONG9200
LIST PRICE	

COUNTERSINKS AND DEBURRING TOOLS

HANDLES



NG-1 HANDLE

- NG-1 holds all S blades (3.2mm)
- Spare blades are kept inside back cap
- Designed for maximum comfort in your hand

ITEM NO.	NONG1000
LIST PRICE	



NG-3 HANDLE

- NG-3 holds all blade holders
- Spare blades are kept inside back cap
- Designed for maximum comfort in your hand

ITEM NO.	NONG3000
LIST PRICE	



CERA-CUT HANDLE

- A unique plastic handle that holds the blade by its self gripping taper.
- Storage space for spare blades.

Length: 135mm

ITEM NO.	NOCR2100
LIST PRICE	



YT HANDLE

The perfect grip on:
Noga adjustable scrapers, Needle files, Pins, Drills

- Quick change
- Fits every hand
- Flexible collet
- Range: 2.2-4.5mm

ITEM NO.	NOYT1000
LIST PRICE	

COUNTERSINKS AND DEBURRING TOOLS

HOLDERS



C HOLDER

- Holds C12, C20 and C30 countersinks
- M7 external thread
- Has an hexagonal cross section to prevent rotating inside handle

Length: 131mm

ITEM NO.	NOCH3000
LIST PRICE	



N HOLDER

- Holds N blades (2.6mm)
- N holder telescopes from 25-115mm

Length: 131mm

ITEM NO.	NOEL01033
LIST PRICE	



S HOLDER

- Holds S blades (3.2mm)
- S holder telescopes from 30-115mm

Length: 131mm

ITEM NO.	NOEL02003
LIST PRICE	



K HOLDER

- Holds K blades with M3 screw

Length: 135mm

ITEM NO.	NOEL04003
LIST PRICE	



D HOLDER

D holder is designed to hold D50 and D66 blades. A 3mm setscrew is holding the blade. Hex key included.

Length: 131mm

ITEM NO.	NOEL05003
LIST PRICE	



L HOLDER

Holds L blades. Blades are held in a 3mm square hole and tightened with 4mm setscrew.

Length: 131mm

ITEM NO.	NOEL07013
LIST PRICE	



HD ROTODRIVE HOLDER

- Heavy duty cranked holder.
- External M7 thread to hold C12, C20 and C30 countersinks.
- Height: 40mm.









ITEM NO.	NOEL0802
LIST PRICE	

COUNTERSINKS AND DEBURRING TOOLS

DEBURRING SYSTEM BLADES






HEAVY DUTY DEBURRING BLADES Ø 3.2MM

All blades below are made of HSS. Hardness 62-64Rc except S100 Cobalt 65-67Rc.

BLADE	INCL. ANGLE (DEGREES)	WORKS BEST ON	LEFT & RIGHT HAND USE	PACK QTY	ITEM NO.	LIST PRICE*
 S10	40	Steel, aluminium and plastic		10	NOBS1010	
 S10 TIN	40	Abrasive material		10	NOBS1012	
 S20	60	Brass and cast iron	✓	10	NOBS2010	
 S30	40	Both internal and external burrs		10	NOBS3010	
 S35	55	Straight edges on most materials	✓	10	NOBS3510	
 S60	40	Cross holes in difficult to reach places		1	NOBS6001	
 S100 Cobalt	45	Plastic and hard materials		10	NOBS1018	
 S101	40	Fine edges on all materials		10	NOBK1010	
 S150	45	Holes as small as 1.5mm diameter		10	NOBK3010	
 S202	55	Brass and cast iron fine edges	✓	10	NOBK2010	

LIGHT DUTY DEBURRING BLADES Ø 2.6MM

All blades below are made of HSS. Hardness 62-64Rc except N10 Cobalt 65-67Rc.

BLADE	INCL. ANGLE (DEGREES)	WORKS BEST ON	LEFT & RIGHT HAND USE	PACK QTY	ITEM NO.	LIST PRICE*
 N1	40	Steel, aluminium and plastic		10	NOBN1010	
 N1 TIN	40	Abrasive material		10	NOBN1012	
 N2	80	Brass and cast iron	✓	10	NOBN2010	
 N3	50	Both internal and external burrs		10	NOBN3010	
 N6	40	Cross holes in difficult to reach places		1	NOBN6001	

* Priced per individual unit (not pack qty)

COUNTERSINKS AND DEBURRING TOOLS

DEBURRING SYSTEM BLADES CONTINUED






COUNTERSINK BLADES

All blades below are made of HSS. Hardness 62-64Rc.

BLADE	COUNTERSINKING ANGLE (DEGREES)	RANGE (MM)	PACK QTY	ITEM NO.	LIST PRICE*
 RD3.2	90	0 - 3	1	NOBC3201	
 RD6.3	90	1 - 6.3	1	NOBC6301	
 RD8.3	90	1 - 8.3	1	NOBC8301	
 RD10.4	90	1 - 10.4	1	NOBC1041	
 RD16.5	90	1 - 16.5	1	NOBC1651	
 C12	90	1 - 12	1	NOBC1211	
 C20	90	3 - 20	1	NOBC2011	
 C30	90	3 - 30	1	NOBC3011	
 EX18	90	4 - 18	1	NOEX2001	
 R1	90	3 - 5.5	1	NOBR1001	
 R2	90	5 - 10	1	NOBR2001	
 R3	90	10 - 22	1	NOBR3001	

SCRAPER BLADES

All blades below have hardness 62-64Rc, except D55 Carbide 1400-1700HV, T80 and T120 CR115 58-60Rc.

BLADE	INCL. ANGLE (DEGREES)	WIDTH X LENGTH (MM)	PACK QTY	ITEM NO.	LIST PRICE*
 D50	60	2.5 x 50	10	NOBD5010	
 D55 Carbide	60	2.5 x 50	1	NOBD5501	
 D66	50	2.7 x 50	10	NOBD6610	
 T80	60	4.2 x 80	1	NOBT8001	
 T120	60	7.4 x 120	1	NOBT1200	


* Priced per individual unit (not pack qty)

COUNTERSINKS AND DEBURRING TOOLS

DEBURRING SYSTEM BLADES CONTINUED

DOUBLE EDGE BLADES


All blades below are made of HSS. Hardness 62-64Rc, except N80M42 65-67Rc.



BLADE	INCL. ANGLE (DEGREES)	RANGE (MM)	PACK QTY	ITEM NO.	LIST PRICE*
N80	55	0 - 12	10	NOBN8010	
N80M42	55	0 - 12	10	NOBN8043	
N70K	55	1.2 - 8	1	NOBN7001	
N80K	55	2.4 - 11	10	NOBN8110	
N90K	55	3 - 15	1	NOBN9009	
L3	50	1 - 8	1	NOBL3001	
O-Ring	40	1 - 3	1	NOB01001	
TC	90	Max. 3	1	NOBC1001	

CERA BLADES


All blades below are made of Ceramic 1250HV.



BLADE	INCL. ANGLE (DEGREES)	APPLICATIONS	PACK QTY	ITEM NO.	LIST PRICE*
Convex	90	Ideal for surface cleaning and parting line deflashing	1	NOCR2200	
Concave	90	Ideal for curved edges and small ridges	1	NOCR2500	
V Shaped	90	Removes burrs from both sides simultaneously	1	NOCR5100	

SPECIALITY BLADES

All blades below are made of HSS. Hardness 62-64Rc.



BLADE	INCL. ANGLE (DEGREES)	WORKS BEST ON	LEFT HAND USE ONLY	PACK QTY	ITEM NO.	LIST PRICE*
S10 LH	40	Steel, aluminium & plastic	✓	10	NOBS1011	
S70	45	Straight edges		1	NOBS7001	
L1	45	Steel & aluminium		1	NOBL1001	

* Priced per individual unit (not pack qty)

HOLDING SYSTEMS

ARTICULATED HOLDER FAT (FINE ADJUSTMENT TOP)



ARTICULATED GAUGE HOLDER WITH MAGNETIC BASE

Features include:

- New Fine adjustment on Top with universal swivel clamp
- Holds 6mm, 8mm, 3/8", dovetail and back lug
- Unique central locking mechanism with Noga designed spring loaded bearing
- Dial gauge holder is 3 dimensional
- Most powerful on/off magnetic base
- Instant fixation in any position
- Fast and easy to set up gauges into required position
- Black finished Arms

Bottom Thread: Ext. M8

Weight (Kg): 1.350

Bottom Arm Length: 110mm

Top Arm Length: 101mm

Magnet Force (N): 800

Magnet Dimensions: W-50mm L-60mm H-55mm

ITEM NO.

NODG61003

LIST PRICE

POST HOLDERS FAB (FINE ADJUSTMENT BASE)



PH HOLDER

Improved single direction Fine adjustment at base.

- Powerful on/off magnetic base
- Universal Swivel Clamp for all dial and test indicators
- Holds 6mm, 8mm, 3/8", dovetail and back lug
- Strong arm lock by using the unique 3-point system
- Easy to set up gauges into required position

Includes: On/Off magnet with fine adjustment 3 point clamp 14/12, Universal swivel clamp, Spare Knob

ITEM NO.

NOPH2040

LIST PRICE

SPECIALTY HOLDERS



CENTERING NF HOLDER 8MM

- Used for centering of workpieces
- Holds indicator with 8mm stem and dovetail
- Central locking mechanism with spring loaded bearing
- Bottom arm - 56mm
- Top arm - 51mm
- Centering rod \varnothing 8mm x 40 mm
- Black finished arms
- Weight: 0.345 Kg

ITEM NO.

NONF1015

LIST PRICE

HOLDING SYSTEMS

SPECIALTY HOLDERS CONTINUED



360° NF HOLDER 8MM (ON/OFF MAGNET)

- On/Off switchable magnet
- Magnet dimensions W30 x L40 x H35
- Magnet Force 320N
- 5 axis holder
- 360° fine adjustment at base
- Holds indicator with 8mm stem and dovetail
- Central locking mechanism with Noga designed spring loaded bearing
- Black finished arms
- Bottom arm: 56mm
- Top arm: 51mm

ITEM NO.	NONF1021
LIST PRICE	



360° NF HOLDER 8MM (PERMANENT MAGNET)

- Permanent magnet
- Magnet dimensions W16 x L60 x H32
- Magnet Force 280N
- 5 axis holder
- 360° fine adjustment at base
- Holds indicator with 8mm stem and dovetail
- Central locking mechanism with Noga designed spring loaded bearing
- Black finished arms
- Bottom arm 56mm
- Top arm 51mm"

ITEM NO.	NONF1030
LIST PRICE	

INDICATORS



DIAL GAUGE

Dial Diameter: 58 mm.
 Stem diameter: 8 mm.
 Measuring Range: 10 mm.
 Graduations: 0.01mm.

ITEM NO.	NODG1000
LIST PRICE	

MODULAR HOLDER ACCESSORIES



DG ARM

DG Arm. Int. M6/Int. M6.
 Total Arm Length: 211mm (110+101)

ITEM NO.	NODG60003
LIST PRICE	



CAMERA NUT

1/4" Thread with nut.

ITEM NO.	NOAD6013
LIST PRICE	



3/8" X M6 ADAPTOR

ITEM NO.	NOAD6030
LIST PRICE	