



# ABRASIVE FLAP WHEELS

## SHAFT MOUNTED ABRASIVE FLAP WHEELS



ITEM NO.	DISC DIA.	WIDTH	GRIT	SHAFT SIZE
<b>SHAFT MOUNTED ABRASIVE FLAP WHEELS - INDIVIDUALLY CARDED</b>				
GA5020M	50mm	20mm	120 medium	6mm
GA5020C	50mm	20mm	80 coarse	6mm
GA5020F	50mm	20mm	180 fine	6mm
GA6030F	60mm	30mm	180 fine	6mm
GA6030M	60mm	30mm	120 medium	6mm
GA6030C	60mm	30mm	80 coarse	6mm
<b>SHAFT MOUNTED ABRASIVE FLAP WHEELS - 10 PER BOX</b>				
GA1515120	15mm	15mm	120	6mm
GA2010080	20mm	10mm	80	6mm
GA2010180	20mm	10mm	180	6mm
GA2015080	20mm	15mm	80	6mm
GA2015120	20mm	15mm	120	6mm
GA2015180	20mm	15mm	180	6mm
GA2020080	20mm	20mm	80	6mm
GA2020120	20mm	20mm	120	6mm
GA2020180	20mm	20mm	180	6mm
GA2525080	25mm	25mm	80	6mm
GA2525120	25mm	25mm	120	6mm
GA3010L060	30mm	10mm	60	6mm
GA3010L080	30mm	10mm	80	6mm
GA3010L100	30mm	10mm	100	6mm
GA3010L120	30mm	10mm	120	6mm
GA3010L150	30mm	10mm	150	6mm
GA3010L180	30mm	10mm	180	6mm
GA3010L240	30mm	10mm	240	6mm
GA3015L040	30mm	15mm	40	6mm
GA3015L060	30mm	15mm	60	6mm
GA3015L080	30mm	15mm	80	6mm
GA3015L100	30mm	15mm	100	6mm
GA3015L120	30mm	15mm	120	6mm
GA3015L150	30mm	15mm	150	6mm
GA3015L180	30mm	15mm	180	6mm
GA3015L240	30mm	15mm	240	6mm
GA3010060	30mm	10mm	60	3mm
GA3010080	30mm	10mm	80	3mm
GA3010100	30mm	10mm	100	3mm
GA3010120	30mm	10mm	120	3mm
GA3010150	30mm	10mm	150	3mm
GA3010180	30mm	10mm	180	3mm
GA3010240	30mm	10mm	240	3mm



# ABRASIVE FLAP WHEELS

## SHAFT MOUNTED ABRASIVE FLAP WHEELS

ABRASIVE FLAP WHEELS  
**GARRYSON**

ITEM NO.	DISC DIA.	WIDTH	GRIT	SHAFT SIZE
<b>SHAFT MOUNTED ABRASIVE FLAP WHEELS - 10 PER BOX</b>				
GA3015040	30mm	15mm	40	3mm
GA3015060	30mm	15mm	60	3mm
GA3015080	30mm	15mm	80	3mm
GA3015100	30mm	15mm	100	3mm
GA3015120	30mm	15mm	120	3mm
GA3015150	30mm	15mm	150	3mm
GA3015180	30mm	15mm	180	3mm
GA4010040	40mm	10mm	40	6mm
GA4010060	40mm	10mm	60	6mm
GA4010080	40mm	10mm	80	6mm
GA4010100	40mm	10mm	100	6mm
GA4010120	40mm	10mm	120	6mm
GA4010150	40mm	10mm	150	6mm
GA4015040	40mm	15mm	40	6mm
GA4015060	40mm	15mm	60	6mm
GA4015080	40mm	15mm	80	6mm
GA4015120	40mm	15mm	120	6mm
GA4015180	40mm	15mm	180	6mm
GA4020040	40mm	20mm	40	6mm
GA4020060	40mm	20mm	60	6mm
GA4020080	40mm	20mm	80	6mm
GA4020100	40mm	20mm	100	6mm
GA4020120	40mm	20mm	120	6mm
GA4020150	40mm	20mm	150	6mm
GA4020180	40mm	20mm	180	6mm
GA4025060	40mm	25mm	60	6mm
GA4025080	40mm	25mm	80	6mm
GA4030080	40mm	30mm	80	6mm
GA4030100	40mm	30mm	100	6mm
GA4030120	40mm	30mm	120	6mm
GA5010080	50mm	10mm	80	6mm
GA5010120	50mm	10mm	120	6mm
GA5010150	50mm	10mm	150	6mm
GA5015060	50mm	15mm	60	6mm
GA5015080	50mm	15mm	80	6mm
GA5015100	50mm	15mm	100	6mm
GA5015120	50mm	15mm	120	6mm
GA5015150	50mm	15mm	150	6mm
GA5015180	50mm	15mm	180	6mm
GA5015240	50mm	15mm	240	6mm
GA5015320	50mm	15mm	320	6mm



# ABRASIVE FLAP WHEELS

## SHAFT MOUNTED ABRASIVE FLAP WHEELS



ITEM NO.	DISC DIA.	WIDTH	GRIT	SHAFT SIZE
<b>SHAFT MOUNTED ABRASIVE FLAP WHEELS - 10 PER BOX</b>				
GA5020040	50mm	20mm	40	6mm
GA5020060	50mm	20mm	60	6mm
GA5020080	50mm	20mm	80	6mm
GA5020100	50mm	20mm	100	6mm
GA5020120	50mm	20mm	120	6mm
GA5020180	50mm	20mm	180	6mm
GA5020240	50mm	20mm	240	6mm
GA5025040	50mm	25mm	40	6mm
GA5025060	50mm	25mm	60	6mm
GA5025080	50mm	25mm	80	6mm
GA5025100	50mm	25mm	100	6mm
GA5025120	50mm	25mm	120	6mm
GA5025150	50mm	25mm	150	6mm
GA5025180	50mm	25mm	180	6mm
GA5025240	50mm	25mm	240	6mm
GA5025320	50mm	25mm	320	6mm
GA5030080	50mm	30mm	80	6mm
GA5030120	50mm	30mm	120	6mm
GA5040060	50mm	40mm	60	6mm
GA5040080	50mm	40mm	80	6mm
GA6020080	60mm	20mm	80	6mm
GA6020120	60mm	20mm	120	6mm
GA6025060	60mm	25mm	60	6mm
GA6025080	60mm	25mm	80	6mm
GA6025120	60mm	25mm	120	6mm
GA6030060	60mm	30mm	60	6mm
GA6030080	60mm	30mm	80	6mm
GA6030100	60mm	30mm	100	6mm
GA6030120	60mm	30mm	120	6mm
GA6030240	60mm	30mm	240	6mm
GA8030040	80mm	30mm	40	6mm
GA8030060	80mm	30mm	60	6mm
GA8030080	80mm	30mm	80	6mm
GA8030120	80mm	30mm	120	6mm
GA8030150	80mm	30mm	150	6mm
GA8030240	80mm	30mm	240	6mm

## FLAP WHEEL TRIAL KITS

### GASMTK

Comprises of:-

- 1 x 15mm x 15mm 120 grit
- 1 x 25mm x 10mm 80 grit
- 1 x 20mm x 15mm 120 grit
- 1 x 25mm x 20mm 80 grit
- 2 x 50mm x 20mm 80/120 grits
- 1 x 20mm x 20mm 80 grit
- 1 x 25mm x 20mm 180 grit
- 1 x 25mm x 5mm 180grit
- 1 x 25mm x 25mm 80 grit

### GASATK

Comprises of:

- 1 x 40mm x 15mm 60 grit
- 1 x 60mm x 30mm 60 grit
- 2 x 40mm x 15mm 80/120 grits
- 2 x 60mm x 30mm 80/120 grits
- 1 x 20mm x 10mm 180 grit
- 1 x 25mm x 15mm 120 grit
- 1 x 50mm x 20mm 60 grit
- 1 x 60mm x 40mm 80 grit
- 2 x 50mm x 20mm 80/120 grits

# ABRASIVE FLAP WHEELS & ZIRCONIUM FLAP DISCS

## SHAFT MOUNTED ABRASIVE FLAP WHEELS

ITEM NO.	DISC DIA.	WIDTH	GRIT	RPM
ABRASIVE FLAP WHEELS - 10 PER BOX				
GA16550120	165mm	50mm	120	5,000
GA16550180	165mm	50mm	180	5,000
GA16550320	165mm	50mm	320	5,000
GA16525040	165mm	25mm	40	5,000

Available to order only.

## ABRASIVE BLOCKS

ITEM NO.	GRIT	SIZE	COLOUR
GA060B	coarse	80x50x20mm	BLUE
GA120G	medium	80x50x20mm	GREY
GA240B	fine	80x50x20mm	BROWN

## ALUMINIUM FLAP DISCS

ITEM NO.	DISC DIA.	BORE	GRIT	MAX RPM	STD PACK
TYPE A ALUMINIUM BACKED ANGLE FACE -FAZ					
GA10016040	100mm	16mm	40	15,000	10
GA10016060	100mm	16mm	60	15,000	10
GA10016080	100mm	16mm	80	15,000	10
GA10016120	100mm	16mm	120	15,000	10
GA11522040	115mm	22mm	40	13,000	10
GA11522060	115mm	22mm	60	13,000	10
GA11522080	115mm	22mm	80	13,000	10
GA11522120	115mm	22mm	120	13,000	10
GA12722040	127mm	22mm	40	12,000	10
GA12722060	127mm	22mm	60	12,000	10
GA12722080	127mm	22mm	80	12,000	10
GA12722120	127mm	22mm	120	12,000	10
GA18022040	180mm	22mm	40	8,600	10
GA18022060	180mm	22mm	60	8,600	10



# FIBRE & ZIRCONIUM FLAP DISCS

ITEM NO.	DISC DIA.	BORE	GRIT	MAX RPM	STD PACK
<b>TYPE B FIBRE BACKED ANGLE FACE - FBZ</b>					
GAF10016040	100mm	16mm	40	15,000	10
GAF10016060	100mm	16mm	60	15,000	10
GAF10016080	100mm	16mm	80	15,000	10
GAF10016120	100mm	16mm	120	15,000	10
GAF11522040	115mm	22mm	40	13,000	10
GAF11522060	115mm	22mm	60	13,000	10
GAF11522080	115mm	22mm	80	13,000	10
GAF11522120	115mm	22mm	120	13,000	10
GAF12722040	127mm	22mm	40	12,000	10
GAF12722060	127mm	22mm	60	12,000	10
GAF12722080	127mm	22mm	80	12,000	10
GAF12722120	127mm	22mm	120	12,000	10
GAF18022040	180mm	22mm	40	12,000	10
GAF18022060	180mm	22mm	60	12,000	10
GAF18022080	180mm	22mm	80	12,000	10

## ZIRCONIUM FLAP DISCS

ITEM NO.	DISC DIA.	BORE	GRIT	MAX RPM
<b>ZIRCONIUM FLEXIDISCS - FIBRE BACKED - FLXZ</b>				
GAF1Z11522040	115mm	22mm	40	13,300
GAF1Z11522060	115mm	22mm	60	13,300
GAF1Z11522080	115mm	22mm	80	13,300
GAF1Z11522120	115mm	22mm	120	13,300

Very good for blending & finishing on curved surfaces. Industry types: Stainless steel fabricators, Ship building & repair, Offshore & marine, Metal fabrication.

ITEM NO.	DISC DIA.	BORE	GRIT	MAX RPM
<b>ZIRCONIUM JUMBO FLAP DISCS - FIBRE BACKED ANGLE FACE - JBZ</b>				
GAJBZ10016040	100mm	16mm	40	15,300
GAJBZ10016060	100mm	16mm	60	15,300
GAJBZ10016080	100mm	16mm	80	15,300
GAJBZ11522040	115mm	22mm	40	13,300
GAJBZ11522060	115mm	22mm	60	13,300
GAJBZ11522080	115mm	22mm	80	13,300
GAJBZ12722040	127mm	22mm	40	12,000
GAJBZ12722060	127mm	22mm	60	12,000
GAJBZ12722080	127mm	22mm	80	12,000

Gives longer disc life & finer finish. 60% more cloth than a std flap disc. Industry type: Stainless steel fabricators, Ship builders, Metal fabrication, Automotive, Foundries.

# ZIRCONIUM FLAP DISCS

ITEM NO.	DISC DIA.	BORE	GRIT	MAX RPM
<b>TYPE B ZIRCONIUM PLUS FLAP DISCS - FIBRE BACKED ANGLE FACE - FBX</b>				
GAFBX10016040	100mm	16mm	40	15,300
GAFBX10016060	100mm	16mm	60	15,300
GAFBX10016080	100mm	16mm	80	15,300
GAFBX11522040	115mm	22mm	40	13,300
GAFBX11522060	115mm	22mm	60	13,300
GAFBX11522080	115mm	22mm	80	13,300
GAFBX12722040	127mm	22mm	40	12,000
GAFBX12722060	127mm	22mm	60	12,000
GAFBX12722080	127mm	22mm	80	12,000

Rapid stock removal, lubricates & dissipates heat, withstands aggressive use. Industry types: Stainless Steel fabricators, Ship building & repair, Offshore & marine, Metal fabrication, Vessel & tanker manufacture.

## ALUMINIUM OXIDE SAFTEX WHEELS & ARBORS

ITEM NO.	DISC DIA.	WIDTH	GRIT	SHAFT SIZE
<b>SAFTEX WHEELS - ALUMINIUM OXIDE GRADE A54Z2K</b>				
GAS20031	2"	1/32"	3/8"	30,500
GAS20062	2"	1/16"	3/8"	30,500
GAS20093	2"	3/32"	3/8"	30,500
GAS20125	2"	1/8"	3/8"	30,500
GAS25031	2 1/2"	1/32"	3/8"	24,400
GAS25062	2 1/2"	1/16"	3/8"	24,400
GAS25093	2 1/2"	3/32"	3/8"	24,400
GAS25125	2 1/2"	1/8"	3/8"	24,400
GAS30031	3"	1/32"	3/8"	20,300
GAS30062	3"	1/16"	3/8"	20,300
GAS30093	3"	3/32"	3/8"	20,300
GAS30125	3"	1/8"	3/8"	20,300
GAS40031	4"	1/32"	3/8"	15,280
GAS40062	4"	1/16"	3/8"	15,280

### ARBORS FOR MOUNTING SAFTEX WHEELS WITH 3/8" CENTRE HOLE

GAS3814 Arbor 1/4" dia shank. for all wheel widths

GAS3806 Arbor 6mm dia shank. for all wheel widths

### SAFTEX WHEELS-FIBRE GLASS REINFORCED STRAIGHT WHEELS FOR THE TOUGH JOBS!!

Saftex Die Grinder wheels are reinforced with woven fibre glass of the highest tensile strength enabling them to withstand severe peripheral, side and wedge stress. They are recommended for preparing, cut-off, notching and slotting and grinding out defects on a wide range of materials, including Ceramics, Mild Steel, Aluminium, Titanium and Nimonic.